



Flexible Cable

Flexible Cables




Order Code	Description	Mtr	50m	100m
2182Y 2 Core PVC Flex				
2182Y5	0.5mm 3 Amps	0.35	9.25	13.50
2182Y7	0.75mm 5 Amps	0.40	10.95	16.95

To BS6500 PVC insulated and PVC sheathed circular light flexible cable 300/500V.
Applications: domestic lighting, push switches, table and standard lamps, radios & TV, lighting pendants, etc.



Order Code	Description	Mtr	50m	100m
2183Y 3 Core PVC Flex				
2183Y5	0.5mm 3 Amps	0.40	11.85	17.55


To BS6500 PVC insulated and PVC sheathed circular light flexible cable 300/500V.
Applications: domestic lighting, push switches, table & standard lamps, radios & TV, lighting pendants, etc.
Colours: Sheath-white, Cores-blue, brown and green/yellow.



Order Code	Description	Mtr	50m	100m
3183Y 3 Core PVC Flex				
3183Y7	0.75mm 6 Amps	0.50	12.95	22.00
3183Y1	1mm 14 Amps	0.60	16.00	29.55
3183Y1.5	1.5mm 18 Amps	0.70	20.95	37.50
3183Y2.5	2.5mm 24 Amps	0.90	34.50	63.60
3183Y4	4.0mm 32 Amps	1.75	59.95	107.50


To BS6500 PVC insulated and PVC sheathed circular light flexible cable 300/500V.
Applications: indoor and outdoor general purpose cable, washing machines
Colours: Sheath-white, Cores-blue, brown & green/yellow.

Butyl Flex Insulated/Sheathed



Order Code	Description	Mtr	50m	100m
3183T 300/500V PVC Flex				
3183T7	0.75mm 6 Amps	0.80	25.00	41.00
3183T1	1mm 14 Amps	0.85	33.00	55.00
3183T1.5	1.5mm 18 Amps	1.00	39.00	75.00
3183T2.5	2.5mm 24 Amps	1.75	63.00	125.00


3093Y 3 Core PVC Flex Heat Resisting



Order Code	Description	Mtr	50m	100m
3093Y 3 Core to BS6141				
3093Y7	0.75mm 6 Amps	0.60	16.00	29.00
3093Y1	1mm 14 Amps	0.65	21.25	36.00
3093Y1.5	1.5mm 18 Amps	0.80	27.00	44.00
3093Y2.5	2.5mm 24 Amps	1.10	41.25	71.00


PVC insulated & PVC sheathed circular flexible cable 300/500V. Applications: night storage heaters, immersion heaters, etc. Where temperatures do not exceed 85°
Colours: Sheath-white, Cores-blue, brown & green/yellow.

Multi-Core Flexes



Order Code	Description	Mtr	50m	100m
3184Y7	0.75mm 4 Core	0.80	18.00	30.95
3185Y7	0.75mm 5 Core	0.95	21.50	38.50
3184Y1	1mm 4 Core	0.95	21.50	39.00
3184Y15	1.5mm 4 Core	1.10	29.25	53.00
3185Y1	1mm 5 Core	1.10	27.75	47.75
3185Y15	1.5mm 5 Core	1.25	37.00	66.50


3183 3 Core Tough Rubber Flexibles



Order Code	Description	Mtr	50m	100m
3183 3 Core to BS6500				
3183TR7	0.75mm 3 Amps	0.60	22.50	37.50
3183TR1	1mm 9 Amps	0.75	27.50	48.00
3183TR1.5	1.5mm 15 Amps	0.95	36.50	69.00
3183TR2.5	2.5mm 20 Amps	1.40	51.00	95.00


Circular VR insulated tough rubber sheathed 300/500V
Applications: portable or light mobile appliances inc power tools, extension leads, etc.
Colours: sheath-black, Cores-blue, brown & green/yellow.

Co-Axial




Order Code	Description	Mtr	100m
Air spaced polythene insulation, PVC sheathed			
COAXB	75ohm Brown Single Copper Conductor	0.40	15.55
COAXW	75ohm White Single Copper Conductor	0.40	15.55
SAT100	Satellite Coaxial Cable	0.60	17.50
CT100	Satellite Coaxial Cable	0.75	35.00

Phone and Bell Wire




Order Code	Description	Mtr	100m
PAIR2	4 Core Telephone Cable	0.25	11.00
PAIR3	6 Core Telephone Cable	0.35	12.95
PAIR4	8 Core Telephone Cable	0.40	17.95
PAIR6	12 Core Telephone Cable	0.60	23.10
BELL	2 Core Bell Wire	0.25	8.20

Twin and Earth




Order Code	Description	Mtr	50m	100m
6242Y1.0	BASEC 1.0mm 14A	0.60	12.98	20.25
6242Y1.5	BASEC 1.5mm 18A	0.70	15.35	26.20
6242Y2.5	BASEC 2.5mm 24A	0.75	21.40	36.65
6242Y4.0	BASEC 4.0mm 32A	1.35	42.15	70.50
6242Y6.0	BASEC 6.0mm 40A	1.80	48.20	94.00
6242Y10.0	BASEC 10.0mm 53A	2.85	91.25	165.00
6242Y16.0	BASEC 16.0mm 70A	4.65	144.00	261.50

Three Core and Earth



Order Code	Description	Mtr	50m	100m
6243Y1.0	BASEC 1.0mm 12A	0.70	18.25	33.00
6243Y1.5	BASEC 1.5mm 16A	0.90	22.85	41.00

Single Stranded




Order Code	Description	Mtr	50m	100m
6491X1.5	1.5mm 17A	-	-	10.25
6491X2.5	2.5mm 24A	-	-	15.75
6491X4	4.0mm 32A	0.70	-	25.50
6491X6	6.0mm 41A	0.75	18.75	34.25
6491X10	10.0mm 55A	1.00	32.60	57.00
6491X16	16.0mm 74A	1.50	51.90	98.25
6491X25	25.0mm 97A	2.70	89.60	177.00

When ordering other colours specify:
BR=Brown, BL=Blue, GY=Green & Yellow

AMPERAGE RATINGS


Please note that Amperage ratings shown are as a guide only.
For in excess of 20m please ask our staff for details.

Single Core Double Insulated



Order Code	Description	Mtr	50m	100m
6181Y10BR	10.0mm 55A Brown	1.35	45.50	85.50
6181Y10BL	10.0mm 55A Blue	1.35	45.50	85.50
6181Y16BR	16.0mm 74A Brown	1.75	60.50	115.00
6181Y16BL	16.0mm 74A Blue	1.75	60.50	115.00
6181Y25BR	25.0mm 97A Brown	2.85	99.75	187.00
6181Y25BL	25.0mm 97A Blue	2.85	99.75	187.00


Fire Resistant Cables



Order Code	Description	100m
152C	1.5mm 2C & Earth	63.00
153C	1.5mm 3C & Earth	111.00
154C	1.5mm 4C & Earth	116.50
252C	2.5mm 2C & Earth	101.25
253C	2.5mm 3C & Earth	151.00
254C	2.5mm 4C & Earth	190.00

Available in Red or White. Black available in certain sizes


LSF Cables



Order Code	Description	100m
LSF6242B1.5	1.5mm T&E 18A	34.00
LSF6242B2.5	2.5mm T&E 24A	50.00
LSF6242B6.0	6.0mm T&E 40A	110.85
LSF6242B10	10.0mm T&E 53A	179.60
LSF6243B1.5	1.5mm 3C&E 16A	49.00
LSF6491B1.5	1.5mm Singles 17A	11.00
LSF6491B2.5	2.5mm Singles 24A	16.70


When ordering singles specify: Brown, Blue, Green/Yellow

Cat 5/6 Data Cable




Order Code	Description	305m Box
CAT5	Cat 5 UTP Box 305m	38.90
CAT6	Cat 6 UTP Box 305m	63.00

Artic Cable



Order Code	Description	Mtr	100m
ARI.53C	3 x 1.5mm yellow 18 Amp	0.70	38.50
ARI.53B	3 x 1.5mm blue 18 Amp	0.70	38.50
ARI.5C	3 x 2.5mm yellow 24 Amp	0.95	59.00
ARI.5CB	3 x 2.5mm blue 24 Amp	0.95	59.00

Alarm/Speaker/L.Volt




Order Code	Description	Mtr	100m
ALA4	4 Core Alarm Cable	0.30	10.50
ALA6	6 Core Alarm Cable	0.35	14.95
ALA8	8 Core Alarm Cable	0.40	19.95
SPK13	13 x 0.2 Speaker Cable	0.35	12.00
SPK42	42 x 0.2 Speaker Cable	0.55	31.00
SPK79	79 x 0.2 Speaker Cable	0.75	54.00
LV2	2 Core 2mm Low Voltage	0.70	49.95

Armoured Cable PVC SWA PVC



Order Code	Description	Mtr	100m
6943XPLE 3 Core Armoured			
3X15	1.5mm 18A BW20S CC5	1.75	109.00
3X25	2.5mm 24A BW20S CC6	2.20	137.00
3X4	4mm 32A BW20S CC7	2.40	157.00
3X6	6mm 41A BW20 CC8	3.10	223.00
3X10	10mm 57A BW25 CC9	4.95	320.00
3X16	16mm 76A BW25 CC10	6.25	427.50
25X3	25mm 104A BW25 CC10	8.25	680.00



Order Code	Description	Mtr	100m
6944XPLE 4 Core Armoured			
4X15	1.5mm 19A BW20S CC6	1.80	127.00
4X25	2.5mm 25A BW20S CC6	2.40	156.50
4X4	4mm 34A BW20 CC7	3.00	197.00
4X6	6mm 43A BW20 CC8	3.80	267.00
4X10	10mm 59A BW25 CC9	5.10	387.00
4X16	16mm 78A BW25 CC10	7.20	528.50

Please phone for quotation on larger quantities

Warning Tape



Order Code	Description	Mtr	365m
WARN	Underground Warning Tape	0.15	24.50

Cable Drum Jacks



2 Jack Legs and 1 Spindle

Order Code	Capacity Tonne	Max Drum Dia (mm)	Each
CDJ3	3	1600	269.00
CDJ6	6	1900	435.00

To Hire

Order Code	Description	Per day
CDJ3HIRE	3 Tonne Capacity	20.00

Cable Drum Rollers



Order Code	Drum Weight Max (Kg)	Drum Dia Max (mm)	Drum Dia Min (mm)	Each
CDR2	1500	2400	300	598.00
CDR3	140	520	120	295.00

Cable Socks



An efficient method of supporting or pulling cables, manufactured from high tensile galvanised steel wire.

Order Code	Description	Each
CS13-19	Cable dia 13-19 mm	34.45
CS19-25	Cable dia 19-25 mm	34.45
CS25-38	Cable dia 25-38 mm	34.45

Cable Socks from 6mm up to 115mm can be ordered

Crimping Tool



Order Code	Description	Each
RP1	1.5mm - 6mm Ratchet Crimp Tool	16.95



Order Code	Description	Each
CPT1516	1.5 mm - 16 mm Crimp Tool	18.25
CPT1095	10mm - 95mm Crimp Tool	75.00
CPT2515	25 mm - 150mm Crimp Tool	75.00

To Hire

Order Code	Description	Per day
CPT2515HIRE	25 mm - 150 mm	12.50

Hydraulic Crimping Tool



- High quality hydraulic tool for use with copper tube terminals 10mm² up to 400mm²
- Comes complete with 13 sets of interchangeable hexagonal dies: 10, 16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300 and 400mm² and case
- 12 tonnes output - 30mm jaw opening - Fibreglass handles
- Head rotates through 180° for awkward installations
- Two stage action with emergency override function
- Weight of tool 6.3Kg, length 610mm

Order Code	Description	Each
KHYCC-400	Complete Kit	595.00

To Hire

Order Code	Description	Per day
KHYCCHIRE	Complete Kit	25.00

Portable Tool Transformers



Order Code	Description	Each
SE1000/1	1000vA c/w 1 x 16A Socket	41.00
SE1500/2	1500vA c/w 2 x 16A Socket	48.25
SE2000/2	2000vA c/w 2 x 16A Socket	51.50
SE3000/2	3000vA c/w 2 x 16A Socket	54.60

Site Transformers Continuously Rated

P50TC	5.0KVA GRP Case 2 x 16A and 1 x 32A Sockets	195.00
M50C	5.0KVA Metal Case 4 x 16A Sockets MCB Protected	255.00
M100C	10 KVA Single Phase Metal Case 4 x 16A and 2 x 32A Sockets MCB Protected	395.00
M3100C	10 KVA Three Phase Metal Case 4 x 16A and 2 x 32A Sockets MCB Protected	445.00

Site Festoon Lighting



Order Code	Description	Each
FS100BC	110V 3m Spaced 100m BC	86.00
FS100ES	110V 3m Spaced 100m ES	86.00

Festoon Guard



Order Code	Description	Each
SEPC	Wire Guard	1.76

Extension Leads in Artic Grade PVC Cables



Order Code	Description	Each
SE14 1.5	14m, 1.5mm 3 Core Cable Fitted 110V 16A Plug and Coupler	15.00
SE14 2.5	14m, 2.5mm 3 Core Cable Fitted 110V 16A Plug and Coupler	18.75
SE14 1.5B	14m, 1.5mm 3 Core Cable Fitted 240V 16A Plug and Coupler	15.00
SE14 2.5B	14m, 2.5mm 3 Core Cable Fitted 240V 16A Plug and Coupler	18.75

Cable Reels



Order Code	Description	Each
8035	Heavy Duty 110V Reel (PVC) c/w 2 x 16A Sockets and 25m 1.5mm Artic Grade Cable & 16A Plug	28.75
8045	Heavy Duty 110V Reel (PVC) c/w 2 x 16A Sockets and 50m 1.5mm Artic Grade Cable & 16A Plug	41.00
8005	Heavy Duty 240V Reel (PVC) c/w 2 x 13A Sockets and 30m 1.5mm Artic Grade Cable and 13A Rubber Plug	21.00
8015	Heavy Duty 240V Reel (PVC) c/w 2 x 13A Sockets and 50m 1.5mm Artic Grade Cable and 13A Rubber Plug	33.50
7010	10m 240V 10A Cable Reel	13.55

Task Lite



Order Code	Description	Each
FH56-20-110	110V Portable 2D 38W Light	26.75
FH56-20-240	240V Portable 2D 38W Light	26.75

Artic Cables



Order Code	Description	mtr	100m
AR1.53C	3 x 1.5mm Yellow Artic	0.70	38.50
AR2.53C	3 x 2.5mm Yellow Artic	0.95	59.00
AR1.53CB	3 x 1.5mm Blue Artic	0.70	38.50
AR2.53CB	3 x 2.5mm Blue Artic	0.95	59.00

Work Lite Tripod




Order Code	Description	Each
SEGRP	IP65 110V 5ft 58W Tripod c/w 10mts Cable and Plug	43.50

Gripper Type Handlamps



Order Code	Description	Each
G2BC2	Gripper Handlamp BC	11.95


Cable Carrier and Dispenser



- Unit weight: 2.8kgs
- Maximum carry weight: 50kgs
- Dimensions when closed:
length 760mm x height 380mm x width 40mm,
distance between arms 610mm
- Dimensions when open:
length 760mm x height 340mm x width 340mm

Order Code	Description	Each
SPA	Cable reel carrier & dispenser	28.75

Category 5 Cable




Order Code	Description	Each
CAT5	Twisted Category 5 UTP Cable Box 305m	38.90

Mounting Bezels



Order Code	Description	Each
DFF1	1 Gang Mounting Bezel	0.95
DFF2	2 Gang Mounting Bezel	1.55

Category 5 Patch Panels



Order Code	Description	Each
PP24	1U 24 Port Cat 5E	29.50
PP48	2U 48 Port Cat 5E	60.00

RJ45 Plugs



Order Code	Description	Each
RJP	RJ45 Plug	0.45

Cabinets



Wallboxes

- Easy to install and remove
- Lockable door
- All round access
- Top and bottom cable entry


Order Code	Description	Each
CAB2	9U 600 x 400mm	132.50
CAB3	12U 600 x 400mm	148.00
CAB4	15U 600 x 400mm	166.00



Free Standing Cabinets available -

- 4mm Toughened bronze tint glass front door
 - Raised vented lid
 - Steel rear door
 - Lockable/removable side panels
 - All round access
 - Top and bottom cable entry
- Please ask for details and prices

RJ45 Crimp Tools




Order Code	Description	Each
RJ45CT	RJ45 Ratchet Crimp Tool	28.50

Data Modules



Order Code	Description	Each
DMRJ45	RJ45 Data Module	3.45
DMBTS	BT Slave Module	3.95
DMBTM	BT Master Module	4.45



Order Code	Description	Each
DMBLK	1/4 Module Blank	0.22

Grey Patch Leads



Order Code	Description	Each
BT5E1	1m Patch Lead Booted	1.00
BT5E2	2m Patch Lead Booted	1.40
BT5E3	3m Patch Lead Booted	1.80